


Time forbrug
Årets gennemsnit

2025 - Forbrug i døgnets time med højeste forbrug



vandmåler	døgn	time	Måned	Time forbrug	Årets gennemsnit	Ugedag	
68818018	2025-01-01	01:00:00	2,431 m3/h	Jan	2431	1726	onsdag
68818018	2025-01-02	02:00:00	1,196 m3/h		1196	1726	torsdag
68818018	2025-01-03	03:00:00	1,451 m3/h		1451	1726	fredag
68818018	2025-01-04	03:00:00	1,358 m3/h		1358	1726	lørdag
68818018	2025-01-05	20:00:00	1,230 m3/h		1230	1726	søndag
68818018	2025-01-06	02:00:00	1,419 m3/h		1419	1726	mandag
68818018	2025-01-07	02:00:00	1,179 m3/h		1179	1726	tirsdag
68818018	2025-01-08	01:00:00	1,441 m3/h		1441	1726	onsdag
68818018	2025-01-09	03:00:00	1,696 m3/h		1696	1726	torsdag
68818018	2025-01-10	05:00:00	1,231 m3/h		1231	1726	fredag
68818018	2025-01-11	21:00:00	1,223 m3/h		1223	1726	lørdag
68818018	2025-01-12	22:00:00	1,493 m3/h		1493	1726	søndag
68818018	2025-01-13	02:00:00	1,528 m3/h		1528	1726	mandag
68818018	2025-01-14	02:00:00	1,419 m3/h		1419	1726	tirsdag
68818018	2025-01-15	05:00:00	1,069 m3/h		1069	1726	onsdag
68818018	2025-01-16	01:00:00	1,179 m3/h		1179	1726	torsdag
68818018	2025-01-17	02:00:00	1,306 m3/h		1306	1726	fredag
68818018	2025-01-18	20:00:00	1,498 m3/h		1498	1726	lørdag
68818018	2025-01-19	19:00:00	1,643 m3/h		1643	1726	søndag
68818018	2025-01-20	04:00:00	1,447 m3/h		1447	1726	mandag
68818018	2025-01-21	02:00:00	1,021 m3/h		1021	1726	tirsdag
68818018	2025-01-22	04:00:00	1,143 m3/h		1143	1726	onsdag
68818018	2025-01-23	01:00:00	1,247 m3/h		1247	1726	torsdag
68818018	2025-01-24	05:00:00	1,249 m3/h		1249	1726	fredag
68818018	2025-01-25	21:00:00	1,751 m3/h		1751	1726	lørdag
68818018	2025-01-26	18:00:00	1,333 m3/h		1333	1726	søndag
68818018	2025-01-27	03:00:00	1,882 m3/h		1882	1726	mandag
68818018	2025-01-28	02:00:00	1,148 m3/h		1148	1726	tirsdag
68818018	2025-01-29	02:00:00	1,188 m3/h		1188	1726	onsdag
68818018	2025-01-30	03:00:00	1,344 m3/h		1344	1726	torsdag
68818018	2025-01-31	04:00:00	1,451 m3/h		1451	1726	fredag
						1726	

68818018	2025-02-01	02:00:00	1,901 m3/h	Feb	1901	1726	lørdag
68818018	2025-02-02	21:00:00	1,582 m3/h		1582	1726	søndag
68818018	2025-02-03	05:00:00	1,222 m3/h		1222	1726	mandag
68818018	2025-02-04	19:00:00	1,299 m3/h		1299	1726	tirsdag
68818018	2025-02-05	04:00:00	1,482 m3/h		1482	1726	onsdag
68818018	2025-02-06	04:00:00	1,105 m3/h		1105	1726	torsdag
68818018	2025-02-07	02:00:00	1,350 m3/h		1350	1726	fredag
68818018	2025-02-08	18:00:00	1,261 m3/h		1261	1726	lørdag
68818018	2025-02-09	19:00:00	1,521 m3/h		1521	1726	søndag
68818018	2025-02-10	03:00:00	1,597 m3/h		1597	1726	mandag
68818018	2025-02-11	04:00:00	1,328 m3/h		1328	1726	tirsdag
68818018	2025-02-12	04:00:00	1,298 m3/h		1298	1726	onsdag
68818018	2025-02-13	02:00:00	1,394 m3/h		1394	1726	torsdag
68818018	2025-02-14	05:00:00	1,200 m3/h		1200	1726	fredag
68818018	2025-02-15	03:00:00	1,270 m3/h		1270	1726	lørdag
68818018	2025-02-16	21:00:00	1,444 m3/h		1444	1726	søndag
68818018	2025-02-17	03:00:00	1,263 m3/h		1263	1726	mandag
68818018	2025-02-18	04:00:00	0,967 m3/h		967	1726	tirsdag
68818018	2025-02-19	20:00:00	1,126 m3/h		1126	1726	onsdag
68818018	2025-02-20	17:00:00	1,334 m3/h		1334	1726	torsdag
68818018	2025-02-21	21:00:00	1,349 m3/h		1349	1726	fredag
68818018	2025-02-22	02:00:00	1,387 m3/h		1387	1726	lørdag
68818018	2025-02-23	20:00:00	1,571 m3/h		1571	1726	søndag
68818018	2025-02-24	04:00:00	1,533 m3/h		1533	1726	mandag
68818018	2025-02-25		1,852 m3/h		1852	1726	tirsdag
68818018	2025-02-26	03:00:00	2,596 m3/h		2596	1726	onsdag
68818018	2025-02-27	03:00:00	1,204 m3/h		1204	1726	torsdag
68818018	2025-02-28	23:00:00	1,245 m3/h		1245	1726	fredag
						1726	
68818018	2025-03-01	02:00:00	1,587 m3/h	Mar	1587	1726	lørdag
68818018	2025-03-02	20:00:00	1,606 m3/h		1606	1726	søndag
68818018	2025-03-03	02:00:00	1,426 m3/h		1426	1726	mandag
68818018	2025-03-04	04:00:00	1,142 m3/h		1142	1726	tirsdag
68818018	2025-03-05	06:00:00	1,444 m3/h		1444	1726	onsdag

68818018	2025-03-06	04:00:00	1,087 m3/h		1087	1726	torsdag
68818018	2025-03-07	03:00:00	1,492 m3/h		1492	1726	fredag
68818018	2025-03-08	03:00:00	1,578 m3/h		1578	1726	lørdag
68818018	2025-03-09	19:00:00	1,301 m3/h		1301	1726	søndag
68818018	2025-03-10	01:00:00	1,754 m3/h		1754	1726	mandag
68818018	2025-03-11	03:00:00	1,283 m3/h		1283	1726	tirsdag
68818018	2025-03-12	02:00:00	1,218 m3/h		1218	1726	onsdag
68818018	2025-03-13	02:00:00	1,385 m3/h		1385	1726	torsdag
68818018	2025-03-14	06:00:00	1,300 m3/h		1300	1726	fredag
68818018	2025-03-15	18:00:00	1,569 m3/h		1569	1726	lørdag
68818018	2025-03-16	19:00:00	1,705 m3/h		1705	1726	søndag
68818018	2025-03-17	04:00:00	1,892 m3/h		1892	1726	mandag
68818018	2025-03-18	04:00:00	1,086 m3/h		1086	1726	tirsdag
68818018	2025-03-19	16:00:00	1,287 m3/h		1287	1726	onsdag
68818018	2025-03-20	02:00:00	1,471 m3/h		1471	1726	torsdag
68818018	2025-03-21	06:00:00	1,158 m3/h		1158	1726	fredag
68818018	2025-03-22	02:00:00	1,772 m3/h		1772	1726	lørdag
68818018	2025-03-23	19:00:00	1,337 m3/h		1337	1726	søndag
68818018	2025-03-24	02:00:00	1,466 m3/h		1466	1726	mandag
68818018	2025-03-25	01:00:00	1,642 m3/h		1642	1726	tirsdag
68818018	2025-03-26	22:00:00	1,469 m3/h		1469	1726	onsdag
68818018	2025-03-27	04:00:00	1,367 m3/h		1367	1726	torsdag
68818018	2025-03-28	04:00:00	1,203 m3/h		1203	1726	fredag
68818018	2025-03-29	01:00:00	1,339 m3/h		1339	1726	lørdag
68818018	2025-03-30	20:00:00	1,843 m3/h		1843	1726	søndag
68818018	2025-03-31	02:00:00	1,207 m3/h		1207	1726	mandag
						1726	
68818018	2025-04-01	02:00:00	1,301 m3/h	Apr	1301	1726	tirsdag
68818018	2025-04-02	05:00:00	1,426 m3/h		1426	1726	onsdag
68818018	2025-04-03	03:00:00	1,935 m3/h		1935	1726	torsdag
68818018	2025-04-04	02:00:00	1,416 m3/h		1416	1726	fredag
68818018	2025-04-05	20:00:00	1,445 m3/h		1445	1726	lørdag
68818018	2025-04-06		1,661 m3/h		1661	1726	søndag
68818018	2025-04-07	04:00:00	1,937 m3/h		1937	1726	mandag

68818018	2025-04-08	04:00:00	1,646 m3/h		1646	1726	tirsdag
68818018	2025-04-09	02:00:00	1,557 m3/h		1557	1726	onsdag
68818018	2025-04-10	18:00:00	1,725 m3/h		1725	1726	torsdag
68818018	2025-04-11	04:00:00	1,646 m3/h		1646	1726	fredag
68818018	2025-04-12	03:00:00	1,443 m3/h		1443	1726	lørdag
68818018	2025-04-13	22:00:00	1,528 m3/h		1528	1726	søndag
68818018	2025-04-14	20:00:00	2,088 m3/h		2088	1726	mandag
68818018	2025-04-15	18:00:00	1,549 m3/h		1549	1726	tirsdag
68818018	2025-04-16	05:00:00	1,626 m3/h		1626	1726	onsdag
68818018	2025-04-17	20:00:00	1,709 m3/h		1709	1726	torsdag
68818018	2025-04-18	20:00:00	1,447 m3/h		1447	1726	fredag
68818018	2025-04-19	19:00:00	1,603 m3/h		1603	1726	lørdag
68818018	2025-04-20	19:00:00	1,651 m3/h		1651	1726	søndag
68818018	2025-04-21	18:00:00	1,484 m3/h		1484	1726	mandag
68818018	2025-04-22	02:00:00	1,437 m3/h		1437	1726	tirsdag
68818018	2025-04-23	03:00:00	1,265 m3/h		1265	1726	onsdag
68818018	2025-04-24	23:00:00	1,553 m3/h		1553	1726	torsdag
68818018	2025-04-25	05:00:00	1,454 m3/h		1454	1726	fredag
68818018	2025-04-26	18:00:00	1,983 m3/h		1983	1726	lørdag
68818018	2025-04-27	20:00:00	1,776 m3/h		1776	1726	søndag
68818018	2025-04-28	01:00:00	1,821 m3/h		1821	1726	mandag
68818018	2025-04-29	19:00:00	2,610 m3/h		2610	1726	tirsdag
68818018	2025-04-30	15:00:00	1,844 m3/h		1844	1726	onsdag
						1726	
68818018	2025-05-01	01:00:00	1,844 m3/h	Maj	1844	1726	torsdag
68818018	2025-05-02	03:00:00	2,158 m3/h		2158	1726	fredag
68818018	2025-05-03	17:00:00	1,773 m3/h		1773	1726	lørdag
68818018	2025-05-04	17:00:00	1,752 m3/h		1752	1726	søndag
68818018	2025-05-05	01:00:00	1,679 m3/h		1679	1726	mandag
68818018	2025-05-06	02:00:00	1,753 m3/h		1753	1726	tirsdag
68818018	2025-05-07	01:00:00	1,666 m3/h		1666	1726	onsdag
68818018	2025-05-08	02:00:00	2,797 m3/h		2797	1726	torsdag
68818018	2025-05-09	05:00:00	2,599 m3/h		2599	1726	fredag
54003391	2025-05-10	09:00:00	1,920 m3/h		1920	1726	lørdag

54003391	2025-05-11	16:00:00	2,550 m3/h		2550	1726	søndag
54003391	2025-05-12	19:00:00	2,800 m3/h		2800	1726	mandag
54003391	2025-05-13	19:00:00	2,500 m3/h		2500	1726	tirsdag
54003391	2025-05-14	19:00:00	2,740 m3/h		2740	1726	onsdag
54003391	2025-05-15	21:00:00	2,650 m3/h		2650	1726	torsdag
54003391	2025-05-16	17:00:00	2,630 m3/h		2630	1726	fredag
54003391	2025-05-17	16:00:00	2,500 m3/h		2500	1726	lørdag
54003391	2025-05-18	12:00:00	3,040 m3/h		3040	1726	søndag
54003391	2025-05-19	20:00:00	3,540 m3/h		3540	1726	mandag
54003391	2025-05-20	18:00:00	2,470 m3/h		2470	1726	tirsdag
54003391	2025-05-21	19:00:00	2,320 m3/h		2320	1726	onsdag
54003391	2025-05-22	18:00:00	1,510 m3/h		1510	1726	torsdag
54003391	2025-05-23	19:00:00	1,700 m3/h		1700	1726	fredag
54003391	2025-05-24	11:00:00	1,970 m3/h		1970	1726	lørdag
54003391	2025-05-25	12:00:00	1,990 m3/h		1990	1726	søndag
54003391	2025-05-26	20:00:00	2,330 m3/h		2330	1726	mandag
54003391	2025-05-27	21:00:00	1,490 m3/h		1490	1726	tirsdag
54003391	2025-05-28	17:00:00	1,480 m3/h		1480	1726	onsdag
54003391	2025-05-29	19:00:00	2,180 m3/h		2180	1726	torsdag
54003391	2025-05-30	16:00:00	1,880 m3/h		1880	1726	fredag
54003391	2025-05-31	10:00:00	1,710 m3/h		1710	1726	lørdag
						1726	
54003391	2025-06-01	18:00:00	2,190 m3/h	Jun	2190	1726	søndag
54003391	2025-06-02	18:00:00	2,200 m3/h		2200	1726	mandag
54003391	2025-06-03	18:00:00	2,560 m3/h		2560	1726	tirsdag
54003391	2025-06-04	18:00:00	1,500 m3/h		1500	1726	onsdag
54003391	2025-06-05	09:00:00	1,630 m3/h		1630	1726	torsdag
54003391	2025-06-06	18:00:00	1,590 m3/h		1590	1726	fredag
54003391	2025-06-07	11:00:00	2,330 m3/h		2330	1726	lørdag
54003391	2025-06-08	18:00:00	2,130 m3/h		2130	1726	søndag
54003391	2025-06-09	16:00:00	2,080 m3/h		2080	1726	mandag
54003391	2025-06-10	17:00:00	1,750 m3/h		1750	1726	tirsdag
54003391	2025-06-11	19:00:00	1,440 m3/h		1440	1726	onsdag
54003391	2025-06-12	18:00:00	2,310 m3/h		2310	1726	torsdag

54003391	2025-06-13	19:00:00	1,610 m3/h		1610	1726	fredag
54003391	2025-06-14	20:00:00	2,770 m3/h		2770	1726	lørdag
54003391	2025-06-15	10:00:00	2,210 m3/h		2210	1726	søndag
54003391	2025-06-16	20:00:00	2,320 m3/h		2320	1726	mandag
54003391	2025-06-17	20:00:00	1,750 m3/h		1750	1726	tirsdag
54003391	2025-06-18	18:00:00	2,270 m3/h		2270	1726	onsdag
54003391	2025-06-19	19:00:00	2,760 m3/h		2760	1726	torsdag
54003391	2025-06-20	16:00:00	2,800 m3/h		2800	1726	fredag
54003391	2025-06-21	16:00:00	3,280 m3/h		3280	1726	lørdag
54003391	2025-06-22	17:00:00	2,610 m3/h		2610	1726	søndag
54003391	2025-06-23	11:00:00	1,950 m3/h		1950	1726	mandag
54003391	2025-06-24	22:00:00	1,570 m3/h		1570	1726	tirsdag
54003391	2025-06-25	19:00:00	2,270 m3/h		2270	1726	onsdag
54003391	2025-06-26	19:00:00	1,880 m3/h		1880	1726	torsdag
54003391	2025-06-27	17:00:00	1,510 m3/h		1510	1726	fredag
54003391	2025-06-28	10:00:00	1,910 m3/h		1910	1726	lørdag
54003391	2025-06-29	12:00:00	1,980 m3/h		1980	1726	søndag
54003391	2025-06-30	18:00:00	2,210 m3/h		2210	1726	mandag
						1726	
54003391	2025-07-01	17:00:00	3,170 m3/h	Jul	3170	1726	tirsdag
54003391	2025-07-02	16:00:00	2,300 m3/h		2300	1726	onsdag
54003391	2025-07-03	11:00:00	2,280 m3/h		2280	1726	torsdag
54003391	2025-07-04	11:00:00	1,470 m3/h		1470	1726	fredag
54003391	2025-07-05	13:00:00	1,690 m3/h		1690	1726	lørdag
54003391	2025-07-06	13:00:00	1,740 m3/h		1740	1726	søndag
54003391	2025-07-07	18:00:00	1,690 m3/h		1690	1726	mandag
54003391	2025-07-08	18:00:00	2,040 m3/h		2040	1726	tirsdag
54003391	2025-07-09	21:00:00	2,410 m3/h		2410	1726	onsdag
54003391	2025-07-10	14:00:00	2,480 m3/h		2480	1726	torsdag
54003391	2025-07-11	14:00:00	2,090 m3/h		2090	1726	fredag
54003391	2025-07-12	11:00:00	1,630 m3/h		1630	1726	lørdag
54003391	2025-07-13	12:00:00	2,910 m3/h		2910	1726	søndag
54003391	2025-07-14	15:00:00	2,040 m3/h		2040	1726	mandag
54003391	2025-07-15	10:00:00	2,290 m3/h		2290	1726	tirsdag

54003391	2025-07-16	12:00:00	1,780 m3/h		1780	1726	onsdag
54003391	2025-07-17	16:00:00	2,550 m3/h		2550	1726	torsdag
54003391	2025-07-18	11:00:00	1,940 m3/h		1940	1726	fredag
54003391	2025-07-19	21:00:00	2,670 m3/h		2670	1726	lørdag
54003391	2025-07-20	17:00:00	3,020 m3/h		3020	1726	søndag
54003391	2025-07-21	15:00:00	1,920 m3/h		1920	1726	mandag
54003391	2025-07-22	16:00:00	1,910 m3/h		1910	1726	tirsdag
54003391	2025-07-23	16:00:00	1,600 m3/h		1600	1726	onsdag
54003391	2025-07-24	21:00:00	2,260 m3/h		2260	1726	torsdag
54003391	2025-07-25	19:00:00	1,580 m3/h		1580	1726	fredag
54003391	2025-07-26	10:00:00	1,870 m3/h		1870	1726	lørdag
54003391	2025-07-27	17:00:00	2,550 m3/h		2550	1726	søndag
54003391	2025-07-28	15:00:00	2,230 m3/h		2230	1726	mandag
54003391	2025-07-29	10:00:00	3,360 m3/h		3360	1726	tirsdag
54003391	2025-07-30	19:00:00	2,510 m3/h		2510	1726	onsdag
54003391	2025-07-31	19:00:00	2,000 m3/h		2000	1726	torsdag
						1726	
54003391	2025-08-01	15:00:00	2,700 m3/h	Aug	2700	1726	fredag
54003391	2025-08-02	16:00:00	1,730 m3/h		1730	1726	lørdag
54003391	2025-08-03	16:00:00	1,820 m3/h		1820	1726	søndag
54003391	2025-08-04	18:00:00	1,550 m3/h		1550	1726	mandag
54003391	2025-08-05	10:00:00	1,530 m3/h		1530	1726	tirsdag
54003391	2025-08-06	19:00:00	1,320 m3/h		1320	1726	onsdag
54003391	2025-08-07	22:00:00	1,630 m3/h		1630	1726	torsdag
54003391	2025-08-08	19:00:00	1,410 m3/h		1410	1726	fredag
54003391	2025-08-09	13:00:00	1,910 m3/h		1910	1726	lørdag
54003391	2025-08-10	19:00:00	2,270 m3/h		2270	1726	søndag
54003391	2025-08-11	21:00:00	1,530 m3/h		1530	1726	mandag
54003391	2025-08-12	19:00:00	2,120 m3/h		2120	1726	tirsdag
54003391	2025-08-13	18:00:00	2,530 m3/h		2530	1726	onsdag
54003391	2025-08-14	18:00:00	1,880 m3/h		1880	1726	torsdag
54003391	2025-08-15	18:00:00	1,740 m3/h		1740	1726	fredag
54003391	2025-08-16	12:00:00	1,900 m3/h		1900	1726	lørdag
54003391	2025-08-17	18:00:00	2,110 m3/h		2110	1726	søndag

54003391	2025-08-18	19:00:00	2,670 m3/h		2670	1726	mandag
54003391	2025-08-19	21:00:00	1,670 m3/h		1670	1726	tirsdag
54003391	2025-08-20	20:00:00	1,560 m3/h		1560	1726	onsdag
54003391	2025-08-21	22:00:00	2,240 m3/h		2240	1726	torsdag
54003391	2025-08-22	20:00:00	1,440 m3/h		1440	1726	fredag
54003391	2025-08-23	10:00:00	1,840 m3/h		1840	1726	lørdag
54003391	2025-08-24	10:00:00	2,230 m3/h		2230	1726	søndag
54003391	2025-08-25	19:00:00	1,820 m3/h		1820	1726	mandag
54003391	2025-08-26	21:00:00	1,560 m3/h		1560	1726	tirsdag
54003391	2025-08-27	20:00:00	1,720 m3/h		1720	1726	onsdag
54003391	2025-08-28	21:00:00	2,060 m3/h		2060	1726	torsdag
54003391	2025-08-29	21:00:00	1,630 m3/h		1630	1726	fredag
54003391	2025-08-30	12:00:00	1,540 m3/h		1540	1726	lørdag
54003391	2025-08-31	17:00:00	1,430 m3/h		1430	1726	søndag
						1726	
54003391	2025-09-01	19:00:00	1,630 m3/h	Sep	1630	1726	mandag
54003391	2025-09-02	21:00:00	1,500 m3/h		1500	1726	tirsdag
54003391	2025-09-03	19:00:00	1,650 m3/h		1650	1726	onsdag
54003391	2025-09-04	21:00:00	2,350 m3/h		2350	1726	torsdag
54003391	2025-09-05	09:00:00	1,760 m3/h		1760	1726	fredag
54003391	2025-09-06	09:00:00	1,880 m3/h		1880	1726	lørdag
54003391	2025-09-07	19:00:00	1,780 m3/h		1780	1726	søndag
54003391	2025-09-08	17:00:00	1,650 m3/h		1650	1726	mandag
54003391	2025-09-09	18:00:00	1,540 m3/h		1540	1726	tirsdag
54003391	2025-09-10	17:00:00	1,220 m3/h		1220	1726	onsdag
54003391	2025-09-11	21:00:00	1,580 m3/h		1580	1726	torsdag
54003391	2025-09-12	10:00:00	1,290 m3/h		1290	1726	fredag
54003391	2025-09-13	12:00:00	1,920 m3/h		1920	1726	lørdag
54003391	2025-09-14	19:00:00	2,060 m3/h		2060	1726	søndag
54003391	2025-09-15	18:00:00	1,390 m3/h		1390	1726	mandag
54003391	2025-09-16	21:00:00	1,330 m3/h		1330	1726	tirsdag
54003391	2025-09-17	19:00:00	1,760 m3/h		1760	1726	onsdag
54003391	2025-09-18	18:00:00	1,340 m3/h		1340	1726	torsdag
54003391	2025-09-19	21:00:00	1,290 m3/h		1290	1726	fredag

54003391	2025-09-20	11:00:00	1,610 m3/h		1610	1726	lørdag
54003391	2025-09-21	10:00:00	1,450 m3/h		1450	1726	søndag
54003391	2025-09-22	19:00:00	2,180 m3/h		2180	1726	mandag
54003391	2025-09-23	18:00:00	1,550 m3/h		1550	1726	tirsdag
54003391	2025-09-24	22:00:00	1,260 m3/h		1260	1726	onsdag
54003391	2025-09-25	18:00:00	1,960 m3/h		1960	1726	torsdag
54003391	2025-09-26	12:00:00	1,150 m3/h		1150	1726	fredag
54003391	2025-09-27	10:00:00	1,950 m3/h		1950	1726	lørdag
54003391	2025-09-28	18:00:00	1,800 m3/h		1800	1726	søndag
54003391	2025-09-29	19:00:00	1,380 m3/h		1380	1726	mandag
54003391	2025-09-30	19:00:00	1,930 m3/h		1930	1726	tirsdag
						1726	
54003391	2025-10-01	17:00:00	2,230 m3/h	Okt	2230	1726	onsdag
54003391	2025-10-02	19:00:00	1,680 m3/h		1680	1726	torsdag
54003391	2025-10-03	19:00:00	1,290 m3/h		1290	1726	fredag
54003391	2025-10-04	11:00:00	1,480 m3/h		1480	1726	lørdag
54003391	2025-10-05	18:00:00	2,080 m3/h		2080	1726	søndag
54003391	2025-10-06	17:00:00	1,590 m3/h		1590	1726	mandag
54003391	2025-10-07	12:00:00	1,390 m3/h		1390	1726	tirsdag
54003391	2025-10-08	19:00:00	1,490 m3/h		1490	1726	onsdag
54003391	2025-10-09	18:00:00	1,390 m3/h		1390	1726	torsdag
54003391	2025-10-10	10:00:00	1,160 m3/h		1160	1726	fredag
54003391	2025-10-11	11:00:00	1,650 m3/h		1650	1726	lørdag
54003391	2025-10-12	11:00:00	1,710 m3/h		1710	1726	søndag
54003391	2025-10-13	20:00:00	1,640 m3/h		1640	1726	mandag
54003391	2025-10-14	17:00:00	1,470 m3/h		1470	1726	tirsdag
54003391	2025-10-15	18:00:00	1,460 m3/h		1460	1726	onsdag
54003391	2025-10-16	11:00:00	1,710 m3/h		1710	1726	torsdag
54003391	2025-10-17	10:00:00	1,280 m3/h		1280	1726	fredag
54003391	2025-10-18	16:00:00	1,840 m3/h		1840	1726	lørdag
54003391	2025-10-19	17:00:00	1,780 m3/h		1780	1726	søndag
54003391	2025-10-20	20:00:00	1,510 m3/h		1510	1726	mandag
54003391	2025-10-21	20:00:00	1,710 m3/h		1710	1726	tirsdag
54003391	2025-10-22	18:00:00	2,580 m3/h		2580	1726	onsdag

54003391	2025-10-23	19:00:00	1,420 m3/h		1420	1726	torsdag
54003391	2025-10-24	22:00:00	1,540 m3/h		1540	1726	fredag
54003391	2025-10-25	11:00:00	2,560 m3/h		2560	1726	lørdag
54003391	2025-10-26	10:00:00	2,240 m3/h		2240	1726	søndag
54003391	2025-10-27	19:00:00	1,470 m3/h		1470	1726	mandag
54003391	2025-10-28	22:00:00	1,550 m3/h		1550	1726	tirsdag
54003391	2025-10-29	19:00:00	1,980 m3/h		1980	1726	onsdag
54003391	2025-10-30	19:00:00	1,430 m3/h		1430	1726	torsdag
54003391	2025-10-31	09:00:00	1,270 m3/h		1270	1726	fredag
						1726	
54003391	2025-11-01	16:00:00	1,890 m3/h	Nov	1890	1726	lørdag
54003391	2025-11-02	10:00:00	2,230 m3/h		2230	1726	søndag
54003391	2025-11-03	17:00:00	1,390 m3/h		1390	1726	mandag
54003391	2025-11-04	18:00:00	1,430 m3/h		1430	1726	tirsdag
54003391	2025-11-05	18:00:00	1,630 m3/h		1630	1726	onsdag
54003391	2025-11-06	21:00:00	1,490 m3/h		1490	1726	torsdag
54003391	2025-11-07	19:00:00	1,610 m3/h		1610	1726	fredag
54003391	2025-11-08	10:00:00	1,730 m3/h		1730	1726	lørdag
54003391	2025-11-09	18:00:00	1,670 m3/h		1670	1726	søndag
54003391	2025-11-10	18:00:00	1,610 m3/h		1610	1726	mandag
54003391	2025-11-11	11:00:00	1,200 m3/h		1200	1726	tirsdag
54003391	2025-11-12	19:00:00	1,410 m3/h		1410	1726	onsdag
54003391	2025-11-13	19:00:00	1,390 m3/h		1390	1726	torsdag
54003391	2025-11-14	16:00:00	1,330 m3/h		1330	1726	fredag
54003391	2025-11-15	11:00:00	1,680 m3/h		1680	1726	lørdag
54003391	2025-11-16	19:00:00	1,550 m3/h		1550	1726	søndag
54003391	2025-11-17	18:00:00	1,470 m3/h		1470	1726	mandag
54003391	2025-11-18	17:00:00	1,190 m3/h		1190	1726	tirsdag
54003391	2025-11-19	18:00:00	1,520 m3/h		1520	1726	onsdag
54003391	2025-11-20	19:00:00	1,250 m3/h		1250	1726	torsdag
54003391	2025-11-21	20:00:00	1,380 m3/h		1380	1726	fredag
54003391	2025-11-22	10:00:00	1,580 m3/h		1580	1726	lørdag
54003391	2025-11-23	10:00:00	1,820 m3/h		1820	1726	søndag
54003391	2025-11-24	18:00:00	1,380 m3/h		1380	1726	mandag

54003391	2025-11-25	17:00:00	1,330 m3/h		1330	1726	tirsdag
54003391	2025-11-26	18:00:00	1,340 m3/h		1340	1726	onsdag
54003391	2025-11-27	20:00:00	1,490 m3/h		1490	1726	torsdag
54003391	2025-11-28	18:00:00	1,150 m3/h		1150	1726	fredag
54003391	2025-11-29	09:00:00	1,340 m3/h		1340	1726	lørdag
54003391	2025-11-30	12:00:00	2,060 m3/h		2060	1726	søndag
						1726	
54003391	2025-12-01	11:00:00	1,760 m3/h	Dec	1760	1726	mandag
54003391	2025-12-02	16:00:00	1,420 m3/h		1420	1726	tirsdag
54003391	2025-12-03	14:00:00	1,140 m3/h		1140	1726	onsdag
54003391	2025-12-04	17:00:00	1,540 m3/h		1540	1726	torsdag
54003391	2025-12-05	14:00:00	1,560 m3/h		1560	1726	fredag
54003391	2025-12-06	10:00:00	1,570 m3/h		1570	1726	lørdag
54003391	2025-12-07	11:00:00	1,740 m3/h		1740	1726	søndag
54003391	2025-12-08	18:00:00	1,920 m3/h		1920	1726	mandag
54003391	2025-12-09	17:00:00	1,610 m3/h		1610	1726	tirsdag
54003391	2025-12-10	20:00:00	1,520 m3/h		1520	1726	onsdag
54003391	2025-12-11	18:00:00	1,540 m3/h		1540	1726	torsdag
54003391	2025-12-12	17:00:00	1,460 m3/h		1460	1726	fredag
54003391	2025-12-13	11:00:00	1,330 m3/h		1330	1726	lørdag
54003391	2025-12-14	14:00:00	2,250 m3/h		2250	1726	søndag
54003391	2025-12-15	17:00:00	1,150 m3/h		1150	1726	mandag
54003391	2025-12-16	19:00:00	1,230 m3/h		1230	1726	tirsdag
54003391	2025-12-17	19:00:00	1,290 m3/h		1290	1726	onsdag
54003391	2025-12-18	21:00:00	1,610 m3/h		1610	1726	torsdag
54003391	2025-12-19	20:00:00	1,190 m3/h		1190	1726	fredag
54003391	2025-12-20	16:00:00	2,080 m3/h		2080	1726	lørdag
54003391	2025-12-21	11:00:00	2,450 m3/h		2450	1726	søndag
54003391	2025-12-22	20:00:00	1,440 m3/h		1440	1726	mandag
54003391	2025-12-23	12:00:00	1,840 m3/h		1840	1726	tirsdag
54003391	2025-12-24	14:00:00	2,280 m3/h		2280	1726	onsdag
54003391	2025-12-25	16:00:00	1,730 m3/h		1730	1726	torsdag
54003391	2025-12-26	11:00:00	1,810 m3/h		1810	1726	fredag
54003391	2025-12-27	12:00:00	1,760 m3/h		1760	1726	lørdag

54003391	2025-12-28	11:00:00	1,730 m3/h	1730	1726	søndag
54003391	2025-12-29	10:00:00	1,470 m3/h	1470	1726	mandag
54003391	2025-12-30	19:00:00	1,340 m3/h	1340	1726	tirsdag
54003391	2025-12-31	12:00:00	1,830 m3/h	1830	1726	onsdag

			1726
--	--	--	------